

Vibrant Prints Compact Design Seamless Connectivity



PRINT PAGES UPTO
7500# Black
5000# Colour

• SPILL-FREE & PRECISE REFILLING TECHNOLOGY •



DCP-T430W

Functions	Print, Scan, Copy
GENERAL	
Memory	128MB
Display	LED
Machine Color	Black
COLOUR PRINT FUNCTION	
Print Speed ⁽ⁱ⁾	Up to 16.0 ipm (mono) and 9.0 ipm (colour)
Print Speed (Eco Mode)	Up to 27.0 ppm (mono) and 11.0 ppm (colour)
First Print Out Time ⁽ⁱⁱ⁾ (FPOT)	Up to 6.2 sec (mono) and 9.6 sec (colour)
Print Resolution	Up to 1,200 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (Mac)
2-Sided Print	Manual (A4/LTR/EXE/A5)
Colour Enhancement	Yes
Borderless Printing	Yes
COLOUR COPY FUNCTION	
Maximum Copy Size	Up to A4/LTR
Copy Speed (ESAT/sESAT)	Up to 11.0 ipm (mono) and 3.5 ipm (colour) ⁽ⁱⁱⁱ⁾
Copy Speed (FCOT) ^(iv)	Up to 13.0 sec (mono) and 28.5 sec (colour)
Copy Resolution	1,200 x 1,800 dpi
Enlargement / Reduction Ratio	25% - 400% in 1% increments (via Remote Copy)
N in 1 Copy	2-in-1 / 2-in-1 (ID) / 4-in-1 (via Remote Copy)
COLOUR SCAN FUNCTION	
Maximum Scan Size	Up to A4/LTR
Scan Resolution	Optical: Up to 1,200 x 2,400 dpi, Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN)
Scan Speed A4 (@ 100 dpi)	From scanner FB: 3.35 sec / 4.38 sec (mono/color)
"Scan To" Feature	Image, OCR, Email, File
CONNECTIVITY/NETWORKING	
Interface	High Speed USB 2.0, Wireless Direct, Wireless Lan (2.4 GHz / 5.0 GHz)
Mobile Solutions	Brother Mobile Connect App (for Android/iOS), AirPrint (for iOS), Mopria, Brother Print Service Plugin (for Android)
Desktop Solutions	iPrint&Scan Desktop App
Email Print	Yes
PAPER HANDLING	
Paper Input (Standard Tray)	Up to 150-sheets (80 g/m ²)
Paper Input (Manual Feed Slot)	1 Sheet
Paper Output	Up to 50-sheets (up to A4)
Paper Handling Sizes (Standard Tray)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(4"x6"), Indexcard(5"x8"), Photo-2L(5"x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(3.5"x5"), Mexico Legal, India Legal
Paper Handling Sizes (Manual Feed Slot)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(4"x6"), Indexcard(5"x8"), Photo-2L(5"x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(3.5"x5"), Mexico Legal, India Legal
Media Type (Standard Tray)	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m ²]
Media Type (Manual Feed Slot)	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m ²]
SUPPORTED OS AND SOFTWARE	
Supported Operating Systems ^(vii)	Windows: 10 / 11, macOS ^(vi) v12/13/14, Linux OS, Chrome OS
Management Tools	BRAdmin Light ^(x) , Embedded Web Server
SUPPLIES	
Ink Bottle ^(x)	BTD100 BK: Approximate Yield 7,500 A4 pages, BTD100 C/M/Y: Approximate Yield 5,000 A4 pages
DIMENSIONS [WIDTH X DEPTH X HEIGHT (WEIGHT)]	
Without Carton	390mm x 343mm x 148.5mm (6.3kg)
OTHERS	
Warranty	30,000 pages or 1 years whichever is earlier

(i) Based on ISO/IEC 24734.
For more information, please refer to www.brother.com/rd/printspeed.

(ii) Based on ISO/IEC 17629.
For more information, please refer to www.brother.com/rd/printspeed.

(iii) Based on ISO/IEC 29183 for models without Automatic Document Feeder.
For more information, please refer to www.brother.com/rd/printspeed.

(iv) Based on ISO/IEC 24735 for models with Automatic Document Feeder only.
For more information, please refer to www.brother.com/rd/printspeed.

(v) Based on ISO/IEC 24735 Annex D.

(vi) Based on ITU-T Test Chart No 1/MMR.
(vii) Receiving is for Windows® only.
(viii) This machine has Wireless Direct function to connect a machine and a mobile device.
(ix) For printing and scanning from Mac, use AirPrint or download iPrint&Scan Desktop App from Mac App Store. For printing on Brother iPrint&Scan application, it supports PDF/JPG/BMP and PNG file format only. MacOS driver is not provided.
(x) Not supported on Mac and Linux.
Available for download at <http://support.brother.com>.

(xi) Approximate page yield is extrapolated based on Brother original Methodology using Test Patterns ISO/IEC 24712.
(xii) For the latest driver updates, visit <http://support.brother.com>
Specific models carry different quantities of ink bottles. Quoted approx. yields are extrapolated based on Brother original methodology using Test Pattern ISO/IEC 24712. Quoted yields are not based on ISO/IEC 24711.
* For selected models only.

Information correct as at the time of publication and may change without prior notice.

Mac, macOS and Airprint are trademarks of Apple Inc., registered in the U.S. and other countries.

Brother International (India) Private Limited

• 1-800-222-422 • 1-800-209-8904 (Toll Free)
✉ • customercare@brother.in | 🌐 • www.brother.in

Operating Hours:

🕒 Monday - Friday | Saturday
🕒 8:30 AM - 6:30 PM | 9:00 AM - 6:00 AM
🕒 Closed on Sunday & Public Holidays

Global
Brand
from
JAPAN